


TOWER BOX


ENJOY AND FEEL FREE TO MAKE COPIES AND
DISTRIBUTE THESE DIAGRAMS. PLEASE EMAIL
COMMENTS AND QUESTIONS TO
winson_chan@spectrumsignal.com

THERE ARE THREE SECTIONS TO THE TOWER BOX,
TOP, MIDDLE, AND BASE. THE NUMBER OF MIDDLE
SECTIONS DETERMINE THE HEIGHT OF THE BOX.
DIAGRAM IS SHOWN WITH TWO MIDDLE SECTIONS


TOP SECTION




1
CREASE DIAGONALS, FOLD
BOTTOM CORNER TO CENTRE,
MAKING ONLY A SMALL CREASE




2
FOLD TOP CORNER TO CREASE




3
FOLD ALONG LINES INDICATED TO
COMPLETE MODULE.




4
COMPLETED MODULE. FOUR
MODULES ARE REQUIRED TO
MAKE TOP SECTION




5
ASSEMBLE FOUR UNITS AS SHOWN. BE SURE
THAT THE TRIANGULAR FLAP REMAINS ON TOP




TOP





MIDDLE



MIDDLE



BASE




6
TWO MODULES IN MID-ASSEMBLY. TUCK
TRIANGULAR FLAP UNDERNEATH


7
TWO VIEWS OF THE COMPLETED
TOP SECTION

Model: Tower Box	Page: 1/ 3
Designer: Winson Chan	
Diagrammed By: Winson Chan, winson_chan@spectrumsignal.com	
Revision: 3.0	Date: 06/04/98


MIDDLE SECTION (LOWER HALF)




CREASE DIAGONALS, FOLD TOP CORNER TO CENTRE




FOLD TOP EDGE TO CENTRE




FOLD ALONG LINES INDICATED TO COMPLETE MODULE.





COMPLETED MODULE. FOUR MODULES ARE REQUIRED TO MAKE TOP SECTION



ASSEMBLE FOUR UNITS AS SHOWN. BE SURE THAT THE TRIANGULAR FLAP REMAINS ON BELOW




TWO MODULES IN MID-ASSEMBLE.




TWO VIEWS OF THE COMPLETED MIDDLE SECTION, LOWER LOWER HALF. FOUR TRIANGULAR FLAPS SHOULD EXIST ON TOP. FLAGS ARE USED TO HOLD THE LOWER MIDDLE SECTION


MIDDLE SECTION (UPPER HALF)




MAKE A SMALL CREASE AT THE 1/2 AND 1/4 POINT




FOLD 1/2 AND 1/4 POINTS TOGETHER TO GET THE 3/8 POINT




FOLD TOP EDGE TO THE 3/8 POINT



FOLD NEW EDGE TO THE 1/2 POINT




FOLD BOTTOM CORNER TO CREASE FORMED IN STEP 4




MAKE A VERTICAL CREASE USING THE EDGE OF THE TRIANGLE AS A GUIDE


Model: Tower Box	Page: 2 / 3
Designer: Winson Chan	
Diagrammed By: Winson Chan, winson_chan@spectrumsignal.com	
Revision: 3.0	Date: 06/04/98




7
UNFOLD TO STEP 4.
BISECT BOTTOM LEFT
CORNER




8
VALLEY FOLD CREASE MADE IN
STEP 4. REFOLD THE CREASES
MADE IN STEPS 6 AND 7




9
MODEL SHOULD LOOK LIKE THIS.
REFOLD CREASE MADE IN STEP 5




10
FOLD TRIANGULAR
FLAP DOWN




11
VALLEY FOLD CORNER
USING THE TRIANGLE AS A
GUIDE




12
COMPLETED MODULE. 4
MODULES ARE REQUIRED
TO MAKE THE MIDDLE
SECTION, UPPER HALF




13
REVERSE ANGLE. NOTICE
THE POCKET



14
ASSEMBLE THE 4 UNITS AS SHOWN




15
COMPLETED MIDDLE
SECTION, UPPER
HALF



16
MIDDLE SECTION,
UPPER HALF



MIDDLE SECTION,
LOWER HALF

INSERT THE 4 FLAPS OF THE
LOWER HALF INTO THE 4
POCKETS OF THE UPPER HALF





17
COMPLETED MIDDLE SECTION

BASE SECTION



1
2
THE BASE IS IDENTICAL TO THE BOTTOM SECTION, BUT WITH
THE ADDITION OF A FIFTH PIECE. FOLD THE 4 CORNERS OF THE
FIFTH SHEET TO THE CENTER AND INSERT FLAPS INTO THE
POCKETS OF MIDDLE SECTION LOWER HALF



3
4
COMPLETED BASE

Model: Tower Box	Page: 3 / 3
Designer: Winson Chan	
Diagrammed By: Winson Chan, winson_chan@spectrumsignal.com	
Revision: 3.0	Date: 06/04/98